fice: U.S. DEPARTMENT OF COMMERCE ersons are required to respond to a collection of information sess it contains a valid OMB control number Under the Paperwork Reduction Act of 1995, no

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

2 of Sheet

Complete if Known				
Application Number	09/423534			
Filing Date				
First Named Inventor	Matthias Lau			
Group Art Unit	2878			
Examiner Name	T. Luy			
Attorney Docket Number	1-14746			

				U.S. PATENT DOCL	MENTS	Pages, Columns, Lines,
aminer	Cite No.1	U.S. Patent Docu	ment d Code ²	Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY	Where Relevant Passages or Relevant Figures Appear
itials'	NO.	3,992,631	(nown)	Harte	11-16-1976	col.7,lines 39-50;Fig
IXZ.		3,332,11			06.14.1004	10; claim 5 abstract, Figs 1,6;
XZ		5,319,975		Pedersen et al		claim l
		5,489,536	+	Ekechukwu	02-06-1996	abstract; Fig. 1
XL		3, 103,330			01 00 1070	equivalent to 3,992,63
IXU		4,133,639		Harte	01-09-19/9	equivalent to 5,772,43
			-			
			┼			
			+			
			+-			

				FOR	EIGN PATENT DOCUMENT		Pages, Columns, Lines,
Examiner Initials	Cite No.1	Office ³	Foreign Patent Do	Kind Code ⁵	Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY	Where Relevant Passages or Relevant Figures Appear
TXU		DD	106 086	A	Hesse	05-20-1974	cited in appln; se pg. 2, left-hand o
120							pg. 2, lert-hand c parag. 1; pg. 3,
							left-hand col., 1
		1					38 to right-hand of line 28.
			2.065.711		Kodak Ltd.	10-06-1993	page 8, line 9 -
124		GB	2 265 711	A			line 34: Fig.7

Examiner	1100 1-	Date Considered	81	01
Signature	1 COUNTY TOPE TABLE	P 600 Draw line	through citati	on if not in conformance and

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² See attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (MPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

Sheet

PTO/SB/08B (10-96)
Approved or use through 10/31/99. OMB 0651-0031
Patent and Trademark Services U.S. DEPARTMENT OF COMMERCE

1-14746

Under the Paperwork Reduction Act of 1995, no possons are required to respond to a collection of information uniques it contains a valid OMB control number.

Substitute for form 1449B/PTO

INFORMATION DISCLOSURE

STATEMENT BY APPLICANT

(use as many sheets as necessary)

Patent and Trademany 5. U.S. DEFRICTION OF COMB control number.

Complete if Known

Application Number 09/423, 534

Filling Date

First Named Inventor Matthias Lau

Group Art Unit 2878

Examiner Name T, Lun

2

of

Attorney Docket Number

		OTHER PRIOR ART NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
4X2		OPITZ N ET AL; "OXYGEN SENSOR FOR THE TEMPERATURE RANGE 300 TO 500 K BASED ON FLUORESCENCE QUENCHING OF INDICATOR-TREATED SILICONE RUBBER MEMBRANES"; SENSORS AND ACTUATORS; vol. 13, no. 2, 1988, pages 159 to 163; XP002078968; see page 160; Fig. 1	
	<u></u>	Date C/	

Examiner Signature Considered S / 0/
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

considered. Include copy of this form with next communication to applicant.

1 Unique citation designation number. 2 Applicant is to place a check mark here if English language Translation is attached.